



## IV.2. Production Performance: Milk Yield

**TABLE IV.2.1: Year and District-wise Bovine Milk Yield**


Districts	Bovine Milk Yield (kg/day)								
	1993-94	1997-98	2003-04	2007-08	2008-09	2009-10	2010-11	2011-12	2012-13
<b>TAMIL NADU</b>	<b>3.13</b>	<b>3.59</b>	<b>4.12</b>	<b>5.01</b>	<b>5.08</b>	<b>5.13</b>	<b>5.14</b>	<b>5.23</b>	<b>5.63</b>
Ariyalur									5.05
Chengalpattu MGR	3.27	3.16							
Chennai	4.75	5.63	5.24	3.56	4.11	4.47	5.41	4.02	
Coimbatore	3.92	4.28	5.12	6.52	5.89	6.42	6.58	6.48	7.03
Cuddalore			4.77	4.93	4.65	5.29	5.04	5.00	5.84
Dharmapuri	2.64	2.66	3.77	5.16	5.31	5.08	5.26	5.12	6.33
Dindigul		4.33	5.25	4.42	5.19	4.45	5.26	5.00	5.54
Erode	3.08	3.96	3.78	4.71	5.03	5.29	5.17	5.66	5.76
Kancheepuram			3.57	3.92	3.89	3.87	3.81	4.29	4.20
Kanniyakumari	4.05	5.22	5.31	7.68	8.09	8.16	7.98	8.20	8.06
Karur			4.13	5.20	5.01	4.83	4.85	5.29	5.10
Krishnagiri				4.96	5.55	5.37	5.28	5.70	6.31
Madurai	3.72	4.60	4.60	5.53	5.48	5.49	5.49	5.27	5.26
Nagapattinam		3.09	3.71	4.74	4.36	4.77	4.69	5.41	5.26
Namakkal			3.41	4.97	4.84	4.69	5.31	5.27	6.21
Perambalur			4.21	5.02	4.90	5.49	5.61	5.54	6.13
Pudukkottai	1.72	2.84	3.22	3.67	3.88	4.17	4.20	4.12	4.74
Ramanathapuram	2.81	4.17	3.69	4.17	4.04	4.32	4.48	4.99	5.14
Salem	3.06	2.95	4.41	5.30	5.06	5.36	5.04	5.47	6.46
Sivaganga		2.59	3.56	3.12	3.56	4.28	4.14	4.31	4.63
South Arcot	3.19	3.82							
Thanjavur	2.17	2.81	3.90	4.15	4.56	4.90	4.73	5.08	5.43
The Nilgiris	3.52	6.28	5.70	9.45	10.67	10.42	11.41	9.09	7.88
Theni			4.97	4.74	5.72	5.36	5.99	5.72	6.08
Thiruvallur			4.17	4.20	4.25	4.16	4.36	4.21	5.37
Thiruvarur			3.21	4.40	4.47	4.45	4.59	5.01	4.79
Thoothukkudi		4.23	4.29	5.09	5.68	5.01	4.78	5.18	5.54
Tiruchirappalli	3.38	3.99	4.11	5.30	5.38	5.30	5.71	5.21	5.76
Tirunelveli	3.11	2.77	3.79	5.11	5.05	4.95	4.83	4.86	5.38
Tiruppur								6.01	6.09
Tiruvannamalai		3.59	4.35	5.48	5.58	5.64	5.36	5.48	6.51
Vellore	3.60	3.41	4.44	5.38	5.24	5.00	5.34	5.70	5.83
Viluppuram		3.88	3.33	4.92	4.80	4.91	4.68	4.81	4.81
Virudhunagar		3.32	5.02	5.68	5.99	5.54	5.44	5.31	5.29

SOURCE: Integrated Sample Survey Reports (1993-94 to 2012-13), Directorate of Animal Husbandry and Veterinary Services, Govt. of Tamil Nadu.

NOTE: For the year 1993-94, data for Thanjavur district also includes Nagapattinam district; Madurai includes Dindigul; Ramanathapuram includes Sivaganga and Virudhunagar; Tirunelveli includes Thoothukkudi; Vellore includes Tiruvannamalai.



### District-wise In-milk Bovine Milk Yield





## IV.2. Production Performance: Milk Yield

**TABLE IV. 2.2: Year and District-wise Indigenous Cattle Milk Yield**


Districts	Indigenous Cattle Milk Yield (kg/day)								
	1993-94	1997-98	2003-04	2007-08	2008-09	2009-10	2010-11	2011-12	2012-13
<b>TAMIL NADU</b>	<b>2.36</b>	<b>2.40</b>	<b>2.66</b>	<b>2.76</b>	<b>2.77</b>	<b>2.78</b>	<b>2.52</b>	<b>2.58</b>	<b>2.72</b>
Ariyalur									2.36
Chengalpattu MGR	3.01	2.23							
Chennai	2.76	2.53	2.51	2.21	3.11	2.69	2.34	2.68	
Coimbatore	2.73	1.99	3.02	2.95	2.38	3.02	2.86	2.56	2.98
Cuddalore			2.78	2.49	2.82	2.65	2.64	2.49	3.51
Dharmapuri	2.50	2.46	2.65	3.08	3.37	2.77	2.48	2.18	2.33
Dindigul		2.69	2.23	2.39	2.56	2.47	2.65	2.65	2.57
Erode	2.22	2.45	2.56	3.20	2.94	2.63	2.60	2.55	3.34
Kancheepuram			2.88	2.91	2.99	2.95	2.55	2.78	2.85
Kanniyakumari	2.42	1.97	2.48	3.18	3.22	3.67	2.61	3.00	2.57
Karur			3.05	3.00	2.63	2.83	2.75	2.81	2.29
Krishnagiri				2.68	2.94	2.38	2.55	2.35	2.33
Madurai	1.69	2.57	3.11	2.74	2.85	2.75	2.62	2.54	2.58
Nagapattinam		2.19	3.20	3.02	2.69	2.80	2.59	2.66	2.63
Namakkal			2.14	2.75	2.77	2.70	2.50	2.58	3.95
Perambalur			2.58	2.29	2.40	2.50	2.52	2.21	2.38
Pudukkottai	1.43	2.42	2.69	3.04	2.87	2.99	2.56	2.80	2.68
Ramanathapuram	2.17	2.54	2.72	2.97	2.98	2.91	2.56	2.77	2.57
Salem	2.63	2.59	2.56	3.38	3.01	2.96	2.57	2.24	1.96
Sivaganga		2.20	2.98	2.00	2.37	2.80	2.60	2.57	2.75
South Arcot	2.55	2.50							
Thanjavur	1.42	1.92	2.14	2.45	2.25	2.56	2.65	2.67	2.79
The Nilgiris	1.74	2.79	2.63	3.35	3.77	2.96	2.55	2.34	2.76
Theni			3.14	2.90	3.01	3.20	2.71	2.53	2.66
Thiruvallur			2.49	2.73	2.86	2.87	2.38	2.58	2.78
Thiruvarur			2.56	2.82	2.14	2.60	2.62	2.70	2.28
Thoothukkudi		2.31	1.85	1.97	3.25	2.43	2.45	2.17	1.91
Tiruchirappalli	2.27	2.45	2.63	2.54	2.52	2.80	2.36	2.49	2.41
Tirunelveli	2.24	2.29	2.46	2.78	2.73	2.79	2.52	2.59	2.72
Tiruppur								2.59	2.72
Tiruvannamalai		2.45	3.33	2.92	2.66	2.58	2.35	2.30	4.76
Vellore	3.26	2.64	2.32	2.92	2.43	2.99	2.47	2.68	2.32
Viluppuram		2.71	2.40	2.74	3.31	2.97	2.43	2.63	2.44
Virudhunagar		2.22	2.58	2.27	2.72	2.65	2.38	2.51	1.80

SOURCE: Integrated Sample Survey Reports (1993-94 to 2012-13), Directorate of Animal Husbandry and Veterinary Services, Govt. of Tamil Nadu.

NOTE: For the year 1993-94, data for Thanjavur district also includes Nagapattinam district; Madurai includes Dindigul; Ramanathapuram includes Sivaganga and Virudhunagar; Tirunelveli includes Thoothukkudi; Vellore includes Tiruvannamalai.



### District-wise Indigenous Cattle Milk Yield





## IV.2. Production Performance: Milk Yield

**TABLE IV.2.3: Year and District-wise Crossbred Cattle Milk Yield**

Districts	Crossbred Cattle Milk Yield (kg/day)								
	1993-94	1997-98	2003-04	2007-08	2008-09	2009-10	2010-11*	2011-12	2012-13
<b>TAMIL NADU</b>	<b>4.87</b>	<b>5.72</b>	<b>6.18</b>	<b>6.25</b>	<b>6.33</b>	<b>6.39</b>	<b>6.39</b>	<b>6.41</b>	<b>6.81</b>
Ariyalur									6.84
Chengalpattu MGR	4.92	5.69							
Chennai	5.82	8.88	7.63	6.10	6.14	6.06	9.15	5.17	
Coimbatore	5.43	5.45	6.33	7.02	6.36	6.85	6.94	6.82	7.56
Cuddalore			6.77	6.30	5.71	6.66	6.60	6.17	6.59
Dharmapuri	5.60	4.84	6.69	6.28	6.29	6.06	6.73	6.37	7.98
Dindigul		5.58	7.34	5.10	6.01	5.06	6.25	6.11	6.53
Erode	4.85	5.48	4.72	6.00	6.42	6.49	6.43	6.84	7.03
Kancheepuram			5.66	6.18	5.64	5.69	5.58	6.06	5.65
Kanniyakumari	4.71	7.04	6.59	7.76	8.38	8.55	8.24	9.00	8.21
Karur			5.07	7.44	6.95	6.44	6.22	6.81	7.13
Krishnagiri				6.47	7.21	7.09	6.86	7.55	7.91
Madurai	5.23	6.12	6.01	6.11	6.14	6.35	6.16	5.92	5.88
Nagapattinam		5.25	5.15	6.82	6.17	6.69	6.43	7.02	6.52
Namakkal			4.86	5.42	5.79	5.45	6.23	6.45	7.66
Perambalur			6.25	6.18	6.08	6.78	6.83	6.63	6.62
Pudukkottai	3.48	5.17	4.81	5.03	6.20	6.61	5.67	5.96	6.71
Ramanathapuram	4.45	6.10	5.15	5.46	5.01	5.49	5.46	5.17	5.48
Salem	4.35	7.05	6.84	6.10	5.72	6.23	6.09	6.33	7.60
Sivaganga		4.95	6.18	4.93	5.72	6.72	6.09	6.26	6.95
South Arcot	4.69	4.57							
Thanjavur	4.34	4.83	5.10	5.33	6.13	6.55	6.21	6.23	6.53
The Nilgiris	6.41	9.54	6.74	10.99	11.98	11.97	12.29	9.40	8.74
Theni			7.19	5.22	6.33	5.95	6.67	6.10	6.55
Thiruvallur			6.74	5.85	5.83	6.20	6.02	5.74	6.45
Thiruvarur			4.93	5.55	6.08	5.80	6.12	6.11	5.92
Thoothukkudi		6.45	8.06	6.49	6.48	5.89	5.68	5.91	6.66
Tiruchirappalli	4.35	5.41	6.32	6.22	6.33	6.10	6.63	6.00	6.48
Tirunelveli	4.47	4.18	5.49	6.23	5.96	5.83	5.60	6.04	6.47
Tiruppur								6.78	6.92
Tiruvannamalai		5.55	5.85	6.72	7.11	7.13	6.07	6.24	6.90
Vellore	5.82	4.80	6.37	6.10	6.12	5.56	6.32	6.49	6.51
Viluppuram		6.52	6.02	6.72	6.09	6.55	6.47	6.61	6.77
Virudhunagar		4.30	7.79	6.59	6.89	6.29	6.11	6.47	6.38


SOURCE: Integrated Sample Survey Reports (1993-94 to 2012-13), Directorate of Animal Husbandry and Veterinary Services, Govt. of Tamil Nadu.

\* Estimated

NOTE: For the year 1993-94, data for Thanjavur district also includes Nagapattinam district; Madurai includes Dindigul; Ramanathapuram includes Sivaganga and Virudhunagar; Tirunelveli includes Thoothukkudi; Vellore includes Tiruvannamalai.



### District-wise Crossbred Cattle Milk Yield





## IV.2. Production Performance: Milk Yield

**TABLE IV.2.4: Year and District-wise Buffalo Milk Yield**

Districts	Buffalo Milk Yield (kg/day)								
	1993-94	1997-98	2003-04	2007-08	2008-09	2009-10	2010-11	2011-12	2012-13
<b>TAMIL NADU</b>	<b>3.44</b>	<b>3.68</b>	<b>4.13</b>	<b>4.15</b>	<b>4.22</b>	<b>4.25</b>	<b>4.04</b>	<b>4.09</b>	<b>4.40</b>
Ariyalur									3.88
Chengalpattu MGR	3.35	3.49							
Chennai	5.33	7.17	5.62	4.54	4.31	4.28	4.54	4.06	
Coimbatore	4.56	5.50	4.61	3.64	3.61	4.18	4.22	4.07	4.31
Cuddalore			5.60	4.24	3.99	3.98	3.45	3.66	4.31
Dharmapuri	2.34	2.29	3.42	4.23	4.48	4.59	3.84	3.79	3.37
Dindigul		4.54	5.47	3.54	4.21	3.65	3.94	3.69	4.02
Erode	2.72	3.68	3.92	3.95	4.33	5.10	4.32	5.04	4.29
Kancheepuram			3.67	3.92	4.09	3.93	3.47	3.96	4.44
Kanniyakumari	4.58	3.41	3.21	5.65	5.40	3.42	3.86	3.93	3.76
Karur			4.40	4.19	4.23	4.42	4.45	4.42	3.48
Krishnagiri				3.15	3.95	3.84	3.94	3.78	5.27
Madurai	4.43	4.43	4.61	4.12	3.19	3.62	3.62	3.87	4.49
Nagapattinam		3.43	4.00	3.74	3.75	4.57	3.98	4.42	4.81
Namakkal			3.25	4.82	4.27	4.31	4.63	4.40	5.11
Perambalur			4.06	4.42	3.21	3.65	4.58	3.75	4.24
Pudukkottai	1.82	2.71	3.12	4.49	4.01	3.93	3.83	3.81	4.99
Ramanathapuram	2.99	4.36	4.44	3.79	3.63	3.55	3.68	3.48	3.17
Salem	3.04	2.17	3.72	4.26	4.38	4.44	3.93	4.44	4.48
Sivaganga		2.20	3.03	3.39	2.87	3.97	4.00	4.15	5.41
South Arcot	3.89	6.04							
Thanjavur	2.94	3.53	5.52	3.47	4.68	4.14	3.78	4.31	4.55
The Nilgiris	1.75	4.81	3.06	4.52	5.56	4.32	7.02	3.89	4.26
Theni			4.39	3.70	3.88	3.74	3.59	3.70	4.33
Thiruvallur			4.73	4.68	4.69	3.93	3.89	3.77	4.56
Thiruvarur			3.00	4.86	4.92	3.79	3.96	3.60	4.46
Thoothukkudi		4.92	2.99	3.20	4.85	4.16	4.00	3.88	4.07
Tiruchirappalli	4.46	4.66	4.76	4.08	3.85	4.36	4.25	4.13	4.55
Tirunelveli	3.61	2.67	3.41	3.55	4.35	3.60	4.26	3.56	4.32
Tiruppur								3.64	4.49
Tiruvannamalai		4.41	4.68	4.86	3.54	3.64	4.04	3.65	3.97
Vellore	3.15	3.36	4.54	4.80	4.11	3.73	3.54	3.99	4.23
Viluppuram		4.28	5.01	5.00	3.93	3.34	3.40	3.65	4.39
Virudhunagar		3.53	3.80	2.87	4.23	3.62	3.76	3.53	4.89

SOURCE: Integrated Sample Survey Reports (1993-94 to 2012-13), Directorate of Animal Husbandry and Veterinary Services, Govt. of Tamil Nadu.

NOTE: For the year 1993-94, data for Thanjavur district also includes Nagapattinam district; Madurai includes Dindigul; Ramanathapuram includes Sivaganga and Virudhunagar; Tirunelveli includes Thoothukkudi; Vellore includes Tiruvannamalai.



### District-wise Buffalo Milk Yield

