Government of India Ministry of Food Processing Industries Panchsheel Bhawan, August Kranti Marg, New Delhi-110049

Revised Guidelines for Grant-in-Aid to Food Processing Units for implementation of Food Safety and Quality Management System through HACCP/ISO 22000/ FSSC 22000/ BRC/ SQF or any other Global Food Safety Initiative (GFSI) approved certification scheme/ standard (w.e.f. 12.11.2018).

1. Background

In order to motivate the food processing industry for adoption of food safety and quality, assurance mechanisms, the Ministry of Food Processing Industries was operating the Central Sector Scheme of Implementation of Food Safety and Quality Management System earlier. Last revised scheme guidelines were issued on 01.04.2014.

This Scheme is now a component of Food Safety and Quality Assurance Infrastructure Scheme under the umbrella Scheme Pradhan Mantri Kissan Sampada Yojana (PMKSY) launched in 2017. For the purpose of smooth implementation, the guidelines of the scheme are being revised.

2. Objectives

The scheme is intended to achieve the following objectives:

- **i.** Motivate the food processing industry for adoption of food safety and quality assurance mechanisms.
- **ii.** Enable adherence to stringent quality and hygiene norms by food processing industries and thereby protect consumer health.
- **iii.** Prepare industry to face global competition.
- iv. Enhance product acceptance by overseas buyers.
- v. Keep Indian industry technologically abreast of international best practices.

3. Outcomes

After implementation of the scheme, it is expected that the units which get assistance will be in a position to improve quality and safety of food products. This will result in greater acceptability of products in the market and help in growth of their business through HACCP/ISO 22000/ FSSC 22000/ BRC/ SQF or any other Global Food Safety Initiative (GFSI) approved certification scheme/ standard.

4. Eligible Organizations/agencies

Central/ State Govt. Undertakings/ Organisations and Private Sector firms will be

eligible for reimbursement of expenditure towards implementation of above standard.

5. Eligible Sectors

Proposals of units processing perishable items like fruits, vegetables, milk, meat, poultry, seafood and fish will only be considered eligible.

6. Eligible Project Cost

Includes the cost of consultant fee, fee charged by certification agency and expenditure on plant & machinery and technical civil works (TCW) incurred after the date of application towards implementation of above standard in the food processing units.

7. Salient Features

- **i.** The grant-in-aid would be reimbursement of expenditure incurred on acquiring above standard.
- **ii.** The Grant-in-aid as reimbursement of expenditure will be released by the Ministry in one instalment after obtaining necessary certification and submission of requisite documents.

8. Eligibility Criteria

- i. The scheme shall provide one time reimbursement only against an Industrial Entrepreneurship Memoranda (IEM)/ Permanent SSI Registration/ Industrial License and FSSAI Licence.
- ii. The applicant should not have obtained/applied for grant/subsidy from any Ministry/Department of Central Govt./GOI organization/agencies and State Govt. for adoption of Total Quality Management System applied for under this scheme.
- iii. The units which have been operating from at least 3 years prior to the date of application will be eligible to apply.
- iv. The units which have already availed assistance from MoFPI for setting up/ expansion/modernization under any scheme of MoFPI will not be considered eligible for assistance under this scheme.

9. Pattern of Assistance:

- i. All Implementing Agencies i.e. Central/ State Govt. Undertakings/ Organisations and Private Sector firms will be eligible for reimbursement of 50% of eligible project cost incurred towards implementation of above standard in the food processing units in general areas subject to maximum limit of Rs. 17 lakh and 75% in difficult areas subject to a maximum of Rs. 22 lakh. Difficult areas include J&K, Himachal Pradesh, Uttarakhand, Sikkim, North-Eastern States, Andaman & Nicobar Islands, Lakshadweep, Integrated Tribal Development Project (ITDP) Areas of States.
- ii. All implementing agencies with Scheduled Caste (SC)/ Scheduled Tribe (ST)

promoter(s), holding majority stake will be treated at par with the difficult areas for the purpose of extending benefits under the scheme. For any change in the constitution/composition of such implementing agencies, prior permission of Ministry shall be required. Subject to matching the basic eligibility criteria, SC/ST beneficiaries will be given preference in sanction of the projects under the scheme to the extent of earmarked fund allocation for each category.

10. Mode of submission of proposals

Proposals for financial assistance will be submitted directly to the Ministry of Food Processing Industries through online portal only for implementation of Food Safety and Quality Management System through above standard in the food processing units.

11. Documents Required with application

Following documents are required to be uploaded on the on-line portal, duly signed by the lead promoter/ authorised signatory: -

- i. Application in the prescribed format available online has to be filled (Format in Annexure -A).
- **ii.** Detailed Project Report including details of all promoters of the organisation along with the activities/background of the firm, products being manufactured, existing/ future market, list of existing plant and machinery along with Process Flow Chart, total Annual Turnover etc.
- **iii.** Financial status of the firm/company duly certified by C.A. in the prescribed format (**Annexure-I**)
- iv. Income Tax Returns of the organisation/ proprietor (in case of proprietorship firm) for previous three years.
- v. GST Registration number of the firm or GSTIN.
- vi. A copy of permanent SSI Registration/Entrepreneurs' Memorandum or Industrial Entrepreneur Memoranda (IEM) or Industrial Licence, whichever is applicable.
- vii. A copy of valid FSSAI licence issued to the applicant organisation.
- viii. Quotation of consultant firm/consultant.
 - ix. The consultant for implementing above standard should be registered either with National Accreditation Board for Education & Training (NABET) or National Board for Quality Promotion (NBQP) of the Quality Council of India or any other Central Government Body like Bureau of Indian Standards (BIS), Agricultural & Processed Food Products Exports Development Authority (APEDA) etc. for the relevant Standard.
 - **x.** Quotation from Certification Body.
- **xi.** Confirmation that Certification Body is accredited by National Accreditation Board for Certification Bodies (NABCB) for the relevant scope, based on a recognised Standard for certification such as ISO 22000/HACCP, etc., which the applicant intends to implement.

- xii. Details of proposed Plant & Machinery (Item-wise & Cost-wise) as per Gap Study Report duly certified by approved Chartered Engineer (Mechanical) and relevance to above standard with full justification in support of cost claimed in the prescribed format (Annexure-I A). The consultant is also required to certify the requirement and counter sign the cost of Plant & Machinery.
- **xiii.** Complete details of Technical Civil Works as per Gap Study Report indicating item-wise/cost-wise break up and their relevance to implementation of above standard with justification duly certified by approved Chartered Engineer (Civil) in the prescribed format (**Annexure-I B**). The consultant is also required to countersign the cost of Civil Works.
- **xiv.** Gap Study Report in the attached format with justification wherever modification of infrastructure & machinery is suggested (**Annexure-II**)
- **xv.** An affidavit duly executed on non-judicial stamp paper of Rs. 10/- or more duly notarized as per **Annexure-III.**
- **xvi.** Detailed implementation schedule for implementation of the above standard.

12. Grant of 'In-Principle' Approval

The application received in the Ministry online will be examined and in case of proposals containing all relevant documents/ information, complying with eligibility criteria the letter for 'In-Principle' approval with a validity period of twelve months will be issued with the approval of competent authority to the applicant organisation. Incomplete applications will be summarily rejected by the Ministry.

13. Procedure for reimbursement of expenditure

- i. The applicant organisation is required to submit the following documents online to the Ministry of Food Processing Industries within 12 month of issue of in-principle approval letter requesting for reimbursement of expenditure incurred on Implementation of above standard:
 - **a.** Copy of 'In-Principle' approval letter and /or extension letter issued by the Ministry.
 - **b.** Surety Bond in the prescribed format (**Annexure-IV**).
 - **c.** Self-verified list of equipment purchased in the prescribed format (**Annexure-IV A**) along with copy of invoices/bills.
 - d. Detailed Process Flow Chart.
 - **e.** Latest C.A. certificate of actual expenditure incurred on the project with corresponding sources of finance (also countersigned by the consultant and promoter of the firm) in the prescribed format (**Annexure-IV C**).
 - **f.** Copies of invoices of Consultant fee, fee charged by Certification Agency and other expenditure incurred. Details of Technical Civil Works done along with cost in the prescribed format (**Annexure-IV B**) along with Copies of invoices of Technical Civil Works.
 - **g.** Copy of ISO 22000 /HACCP, etc. Certificate from an NABCB accredited certification body bearing NABCB logo.
 - **h.** An undertaking by the firm on Letter Head of the firm in the prescribed

format (Annexure-IV D) to the effect that Implementation of above standard will be continued at least for a period of 3 years from the date of issue of certificate and guidelines & conditions stipulated in the certificate and FSMS Manual will be followed by the organization, failing which the firm is liable to refund the entire amount of grant-in-aid along with interest @ 10% per annum.

- ii. The requisite documents/information duly certified by the Promoter/Director/ Partner in the case of Private Bodies and through the Director or Head of the Institution in the case of Govt. Institutions shall be submitted to the Ministry. After satisfactory scrutiny of the documents/information thereof the MoFPI will reimburse the expenses to the implementing agency in terms of the approved scheme through Designated Bank.
- **iii.** An evaluation may be conducted by MFPI at the end of the year by an independent agency on the implementation of the scheme.

14. Decision of Ministry to be final

The decision of the Ministry in all matters relating to eligibility, acceptance or rejection of the applications and grant approved shall be final and binding on the applicants.

15. Court's Jurisdiction

Any dispute arising out of selection of proposals and implementation of approved project under this scheme guideline shall be subject to Courts/ Tribunals having jurisdiction over Delhi.

Annexure-A

Application for seeking assistance of MOFPI for implementation of Food Safety and Quality Management through HACCP/ISO 22000/ FSSC 22000/ BRC/ SQF or any other Global Food Safety Initiative (GFSI) approved certification scheme/standard. [To be submitted online only]

(Rs. in lakhs)

S. No.	Particulars	(Rs. in lakhs) Details
A A		Details
1.	Implementing Agencies-Organisation/Promoter	
2.	Name & Address (Telephone, Fax, E-mail) Whether Scheduled Caste (SC)/Scheduled Tribe	
۷.	(ST)/Shareholding of SC/ST/Promoter(s) in the	
	firm	
3.	a) Background/Experience	
3.	a) Background/Experience	
	b) Financial Status:-	
	i) Audited Profit & Loss Account & Balance	
	Sheet for the last three years	
	ii) Turnover during the last three years	
	iii) Banker's Name and Address	
4.	Existing activities of the firm	
5.	Name of the Products/By-products including	
	brand name(specification & use)	
6.	Process of manufacture (with Flow Chart)	
7.	Processing technology being used:-	
	(indigenous/imported)	
8.	List of existing Plant & Machinery and Quality	
	Control facilities with cost.	
9.	Capacity of installed Plant & Manufacturing Unit	
	(per day/per year)	
10.	Capacity utilisation during last three years (figures	
	in %)	
В	Project Description	
1.	Name of the Project: (Implementation of ISO	
	22000/HACCP, etc.)	
2.	Location/ Area of the Manufacturing Unit	
	(Full locational address & Telephone No. & E-	
	mail etc.)	
3.	Details of Industrial Entrepreneur Memoranda	
	(IEM)/Entrepreneurs Memorandum (EM)/SSI	
	Registration /Industrial License(IL):-	
	i) IEM/EM/SSI Registration/IL No.	
	ii) Date of Issue	
	iii) Issuing Authority	
	iv) FSSAI Licence No. or acknowledgement (Enclose an attested copy)	
	v) Date of start of commercial operations	
4.	Gap Study Report as per Annexure-II	
C 4.	Project Cost	(Rs. in lakh)
	Consultant Fee	(NS. III IANII)
a)	Consultant I'cc	

b)	Fee charged by Certifying Agency	
c)	Pre-operative Expenses	
d)	Technical Civil Works (if any) with reference to	
	GAP Study Report	
e)	Plant & Machinery with reference to GAP	
	Analysis Report (This includes equipment	
	required for up gradation of Hygiene, Quality	
	Control testing facilities such as in-house Food	
	Testing Laboratory etc.)	

f)	Any other expenses as po	er the requirement of ISO		
,	22000 and /or HACCP et			
	Total			
D	Means of Finance		(Rs. in Lakh	n)
a)	Equity(Promoter/Foreign	/Other)		
b)	Loan(Term/Unsecured/W	orking Capital		
c)	Fund requirement from N	Ministry(MFPI)		
d)	Others			
	Total			
E	Marketing			
a)	Size of existing Market in	n terms of cost benefit		
	ratio			
b)	Increase in Future Demar	· •		
	market in the first year af			
	food safety/quality manage			
F	Implementation Schedu	le		
	i) Items of Work			
	ii) Date of Implementation			
	(Bar charts/Milestone ch	•		
G	Details and Experience of	•		
H	Details and Experience of			
I	Details of Accreditation 1	-		
J	Assistance already	Component/Activity for	Amount	Year
	availed	which assistance was		
	from MFPI	taken		
	(Give name of Scheme)			
	i)	Activity for which		
	ii)	assistance was taken		
K	List of Enclosures			

Place:	Authorised Signatory
Date:	Name (Block letters)
	Designation
	(With Special Seal of Organisation/Individual)

List of documents attached

C.A. CERTIFICATE FOR FINANCIAL STATUS OF THE FIRM

Name of the	Company/Firm	:			
Complete ac	dress of the Fa	actory/Unit:			
Financial Sta	atus of the firm	is as under:-		(Amount in lakh)	
Year	Turnover	Profit after Tax	L	oan	
			Secured	Unsecured	
			1		

- 2. Kinds of documents checked:
 - i. Profit and loss accounts
 - ii. Balance Sheet

(Signature)
Name of Authorised Signatory
of the firm with stamp

(Signature) Name & Address of the Chartered Accountant with stamp

DETAILS OF PROPOSED PLANT & MACHINERY

Name	of the Company/Fi	rm:				
Comp	lete address of the	Factory/Unit:				
		(Name of C	Quality/Food	-	•	for effective implementation of system to be implemented –
НАСС	P/ISO 22000/ISO 9	9001/GHP/GN	iP etc).			
S. No	Name of the Machinery/ equipment/Item	Capacity	No. of Units	Rate/ unit (₹)	Total Cost (₹)	Relevance to implementation of(Name of Quality/Food Safety Management system to be implemented) with justification

(Signature)
Name & Address of the Consultant/
Consultant Firm with stamp

(Signature)
Name & Address of the
Chartered Engineer (Mech./Elect.) with stamp

DETAILS OF PROPOSED TECHNICAL CIVIL WORK

Name	of the Company	//Firm:			
Comp	lete address of t	he Factory/U	Init:		
	This is to cer	tify that the p	roposed Tec	hnical Civil Work	is required for effective implementation
of		(Name	e of Quality/F	ood Safety Mana	agement system to be implemented -
HACC	P/ISO 22000/IS	O 9001/GHP	/GMP etc).		
S. No	Name of item/Work	Area (Sq. Ft)	Rate/ Sq. Ft (₹)	Total Cost (₹)	Relevance to implementation of(Name of Quality/Food Safety Management system to be implemented) with justification
l		1		1	

(Signature)
Name & Address of the Consultant/
Consultant Firm with stamp

(Signature)
Name & Address of the
Chartered Engineer (Civil) with stamp

MFPI Scheme – Implementation of Food Safety and Quality Management System through ISO 22000/ HACCP or any other similar standard-Gap Study Checklist for Hygienic Conditions based on Codex Recommended Code of Practice/General Principles of Food Hygiene (CAC/RCP 1-1969, Rev. 4-2003)

Company Details	S		
Name: (Including site name);			
Address:			
State:		Post Code	
Tel. No.		FAX	
Company Representative		Email address:	
Products Details			
Products Manufa	actured		
Key Process Steps (Attach copy of process flow for each product and of layout of food production facility)			
Key Operations (
Key Operations ((Manual)		
Processing Tech	nology		
Primary Packagii	ng		
Storage conditio			
Best Before period declared on finished product			
Number of production lines			
Production facility (All through the ymonths of the ye	year / few		

	REQUIREMENTS	CURRENT STATUS	IMPROVEMEN T MEASURE PLANNED TO BE TAKEN	JUSTIFICATION FOR IMPROVEMENT MEASURE
SECT	ION –IV- ESTABLISHMENT: DESIGN AND	FACILITIES		
4.1	LOCATION			
4.1.1	Establishments			
	Establishments should not be located anywhere where, after considering such protective measures, it is clear that there will remain a threat to food safety or suitability. In particular, establishments should normally be located away from:			
	environmentally polluted areas and industrial activities which pose a serious threat of contaminating food;			
	areas subject to flooding unless sufficient safeguards are provided;			
	areas prone to infestations of pests;			
	areas where wastes, either solid or liquid, cannot be removed effectively.			
4.1.2	Equipment			
	Equipment should be located so that it:			
	permits adequate maintenance and cleaning;			
	functions in accordance with its intended use; and			
	facilitates good hygiene practices, including monitoring.			
4.2	PREMISES AND ROOMS			
4.2.1	Design and layout			
	Where appropriate, the internal design and layout of food establishments should permit good food hygiene practices, including protection against cross-contamination between and during operations by foodstuffs.			
4.2.2	Internal structures and fittings			
	Structures within food establishments should be soundly built of durable materials and be easy to maintain, clean and where appropriate, able to be disinfected.			

	In particular the following specific conditions should be satisfied where necessary to protect the safety and suitability of food:-		
	the surfaces of walls, partitions and floors should be made of impervious materials with no toxic effect in intended use;		
	walls and partitions should have a smooth surface up to a height appropriate to the operation;		
	floors should be constructed to allow adequate drainage and cleaning;		
	ceilings and overhead fixtures should be constructed and finished to minimize the buildup of dirt and condensation, and the shedding of particles;		
	Windows should be easy to clean, be constructed to minimize the buildup of dirt and where necessary, be fitted with removable and cleanable insect-proof screens. Where necessary, windows should be fixed;		
	doors should have smooth, non- absorbent surfaces, and be easy to clean and, where necessary, disinfect;		
	Working surfaces that come into direct contact with food should be in sound condition, durable and easy to clean, maintain and disinfect. They should be made of smooth, non-absorbent materials, and inert to the food, to detergents and disinfectants under normal operating conditions.		
4.2.3	Temporary/mobile premises and vending machines		
	Premises and structures covered here include market stalls, mobile sales and street vending vehicles, temporary premises in which food is handled such as tents and marquees.		
	Such premises and structures should be sited, designed and constructed to avoid, as far as reasonably practicable, contaminating food and harbouring pests.		
	In applying these specific conditions and requirements, any food hygiene hazards associated with such facilities should be adequately controlled to		

	ensure the safety and suitability of food.		
4.3	EQUIPMENT		
4.3.1	General		
	Equipment and containers (other than once-only use containers and packaging) coming into contact with food, should be designed and constructed to ensure that, where necessary, they can be adequately cleaned, disinfected and maintained to avoid the contamination of food.		
	Equipment and containers should be made of materials with no toxic effect in intended use.		
	Where necessary, equipment should be durable and movable or capable of being disassembled to allow for maintenance, cleaning, disinfection, monitoring and, for example, to facilitate inspection for pests.		
4.3.2	Food control and monitoring equipment		
	Equipment used to cook, heat treat, cool, store or freeze food should be designed to achieve the required food temperatures as rapidly as necessary in the interests of food safety and suitability, and maintain them effectively.		
	Such equipment should also be designed to allow temperatures to be monitored and controlled.		
	Where necessary, such equipment should have effective means of controlling and monitoring humidity, airflow and any other characteristic likely to have a detrimental effect on the safety or suitability of food. These requirements are intended to ensure that:		
	harmful or undesirable micro-organisms or their toxins are eliminated or reduced to safe levels or their survival and growth are effectively controlled;		
	where appropriate, critical limits established in HACCP-based plans can be monitored; and		
	Temperatures and other conditions necessary to food safety and suitability		

	can be rapidly achieved and maintained.		
4.3.3	Containers for waste and inedible substances		
	Containers for waste, by-products and inedible or dangerous substances, should be specifically identifiable, suitably constructed and, where appropriate, made of impervious material.		
	Containers used to hold dangerous substances should be identified and, where appropriate, be lockable to prevent malicious or accidental contamination of food.		
4.4	FACILITIES		
4.4.1	Water supply		
	An adequate supply of potable water with appropriate facilities for its storage, distribution and temperature control, should be available whenever necessary to ensure the safety and suitability of food.		
	Potable water should be as specified in the latest edition of WHO Guidelines for Drinking Water Quality, or water of a higher standard. Non-potable water (for use in, for example, fire control, steam production, refrigeration and other similar purposes where it would not contaminate food), shall have a separate system. Non-potable water systems shall be identified and shall not connect with, or allow reflux into, potable water systems.		
4.4.2	Drainage and waste disposal		
	Adequate drainage and waste disposal systems and facilities should be provided. They should be designed and constructed so that the risk of contaminating food or the potable water supply is avoided.		
4.4.3	Cleaning		
	Adequate facilities, suitably designated, should be provided for cleaning food, utensils and equipment. Such facilities should have an adequate supply of hot and cold potable water where appropriate.		

4.4.4	Personnel hygiene facilities and toilets	
	Personnel hygiene facilities should be available to ensure that an appropriate degree of personal hygiene can be maintained and to avoid contaminating food. Where appropriate, facilities should include:	
	 adequate means of hygienically washing and drying hands, including wash basins and a supply of hot and cold (or suitably temperature controlled) water; 	
	lavatories of appropriate hygienic design; and	
	Adequate changing facilities for personnel.	
	Such facilities should be suitably located and designated.	
4.4.5	Temperature control	
	Depending on the nature of the food operations undertaken, adequate facilities should be available for heating, cooling, cooking, refrigerating and freezing food, for storing refrigerated or frozen foods, monitoring food temperatures, and when necessary, controlling ambient temperatures to ensure the safety and suitability of food.	
4.4.6	Air quality and ventilation	
	Adequate means of natural or mechanical ventilation should be provided, in particular to:	
	minimize air-borne contamination of food, for example, from aerosols and condensation droplets;	
	control ambient temperatures;	
	control odours which might affect the suitability of food; and	
	control humidity, where necessary, to ensure the safety and suitability of food.	
	Ventilation systems should be designed and constructed so that air does not flow from contaminated areas to clean areas and, where necessary, they can be adequately maintained and cleaned.	

Adequate natural or artificial lighting should be provided to enable the undertaking to operate in a hygienic manner. Where necessary, lighting should not be such that the resulting colour is misleading. The intensity should be adequate to the nature of the operation. Lighting fixtures should, where appropriate, be protected to ensure that food is not contaminated by breakages. 4.4.8 Storage Where necessary, adequate facilities for the storage of food, ingredients and non-food chemicals (e.g. cleaning materials, lubricants, fuels) should be provided. Where appropriate, food storage facilities should be designed and constructed to: • permit adequate maintenance and cleaning; • avoid pest access and harbourage; • enable food to be effectively protected from contamination during storage; and • Where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • implement effective control procedures at those implement effective control procedures at those intensity and storage facilities are critical to the safety of food;	4.4.7	Lighting	
Where necessary, adequate facilities for the storage of food, ingredients and non-food chemicals (e.g. cleaning materials, lubricants, fuels) should be provided. Where appropriate, food storage facilities should be designed and constructed to: * permit adequate maintenance and cleaning; * avoid pest access and harbourage; * enable food to be effectively protected from contamination during storage; and * Where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: * identify any steps in their operations which are critical to the safety of food; * implement effective control procedures at those		provided to enable the undertaking to operate in a hygienic manner. Where necessary, lighting should not be such that the resulting colour is misleading. The intensity should be adequate to the nature of the operation. Lighting fixtures should, where appropriate, be protected to ensure that food is not contaminated by	
storage of food, ingredients and non-food chemicals (e.g. cleaning materials, lubricants, fuels) should be provided. Where appropriate, food storage facilities should be designed and constructed to: • permit adequate maintenance and cleaning; • avoid pest access and harbourage; • enable food to be effectively protected from contamination during storage; and • Where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those	4.4.8	Storage	
be designed and constructed to: • permit adequate maintenance and cleaning; • avoid pest access and harbourage; • enable food to be effectively protected from contamination during storage; and • Where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those		storage of food, ingredients and non-food chemicals (e.g. cleaning materials, lubricants,	
• avoid pest access and harbourage; • enable food to be effectively protected from contamination during storage; and • Where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those			
• enable food to be effectively protected from contamination during storage; and • Where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those		permit adequate maintenance and cleaning;	
contamination during storage; and • Where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those		avoid pest access and harbourage;	
minimizes the deterioration of food (e.g. by temperature and humidity control). The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those			
depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided. SECTION-V- CONTROL OF OPERATION 5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those		minimizes the deterioration of food (e.g. by	
5.1 CONTROL OF FOOD HAZARDS Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those		depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances	
Food business operators should control food hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those	SEC	TION-V- CONTROL OF OPERATION	1
hazards through the use of systems such as HACCP. They should: • identify any steps in their operations which are critical to the safety of food; • implement effective control procedures at those	5.1	CONTROL OF FOOD HAZARDS	
identify any steps in their operations which are critical to the safety of food; implement effective control procedures at those		hazards through the use of systems such as	
critical to the safety of food; • implement effective control procedures at those		They should:	
steps,		implement effective control procedures at those steps;	
monitor control procedures to ensure their continuing effectiveness; and			

	review control procedures periodically, and whenever the operations change.	
	These systems should be applied throughout the food chain to control food hygiene throughout the shelf-life of the product through proper product and process design.	
	Control procedures may be simple, such as checking stock rotation calibrating equipment, or correctly loading refrigerated display units. In some cases a system based on expert advice, and involving documentation, may be appropriate. A model of such a food safety system is described in Hazard Analysis and Critical Control (HACCP) System and Guidelines for its Application (Annex).	
5.2	KEY ASPECTS OF HYGIENE CONTROL SYSTE	MS
5.2.1	Time and temperature control	
	Inadequate food temperature control is one of the most common causes of foodborne illness or food spoilage. Such controls include time and temperature of cooking, cooling, processing and storage. Systems should be in place to ensure that temperature is controlled effectively where it is critical to the safety and suitability of food.	
	Temperature control systems should take into account:	
	the nature of the food, e.g. its water activity, pH, and likely initial level and types of microorganisms;	
	the intended shelf-life of the product;	
	the method of packaging and processing; and	
	How the product is intended to be used, e.g. further cooking/processing or ready-to-eat.	
	Such systems should also specify tolerable limits for time and temperature variations.	
	Temperature recording devices should be checked at regular intervals and tested for accuracy.	
5.2.2	Specific process steps	
	Other steps which contribute to food hygiene may include, for example:	
	• chilling	
	thermal processing	
	irradiation	
	• drying	

	chemical preservation		
	vacuum or modified atmospheric packaging		
5.2.3	Microbiological and other specifications		
3.2.3	Where microbiological, chemical or physical specifications are used in any food control system, such specifications should be based on sound scientific principles and state, where appropriate, monitoring procedures, analytical methods and action limits.		
5.2.4	Microbiological cross-contamination		
	Pathogens can be transferred from one food to another, either by direct contact or by food handlers, contact surfaces or the air. Raw, unprocessed food should be effectively separated, either physically or by time, from ready-to-eat foods, with effective intermediate cleaning and where appropriate disinfection.		
	Access to processing areas may need to be restricted or controlled. Where risks are particularly high, access to processing areas should be only via a changing facility. Personnel may need to be required to put on clean protective clothing including footwear and wash their hands before entering.		
	Surfaces, utensils, equipment, fixtures and fittings should be thoroughly cleaned and where necessary disinfected after raw food, particularly meat and poultry, has been handled or processed.		
5.2.5	Physical and chemical contamination		
	Systems should be in place to prevent contamination of foods by foreign bodies such as glass or metal shards from machinery, dust, harmful fumes and unwanted chemicals. In manufacturing and processing, suitable detection or screening devices should be used where necessary.		
5.3	INCOMING MATERIAL REQUIREMENTS		
	No raw material or ingredient should be accepted by an establishment if it is known to contain parasites, undesirable micro-organisms, pesticides, veterinary drugs or toxic, decomposed or extraneous substances which would not be reduced to an acceptable level by normal sorting and/or processing. Where appropriate, specifications for raw materials should be identified and		

	applied.	
	Raw materials or ingredients should, where appropriate, be inspected and sorted before processing. Where necessary, laboratory tests should be made to establish fitness for use. Only sound, suitable raw materials or ingredients should be used.	
	Stocks of raw materials and ingredients should be subject to effective stock rotation.	
5.4	PACKAGING	
	Packaging design and materials should provide adequate protection for products to minimize contamination, prevent damage, and accommodate proper labeling. Packaging materials or gases where used must be non-toxic and not pose a threat to the safety and suitability of food under the specified conditions of storage and use. Where appropriate, reusable packaging should be suitably durable, easy to clean and, where necessary, disinfect.	
5.5	WATER	
5.5.1	In contact with food	
	Only potable water, should be used in food handling and processing, with the following exceptions:	
	for steam production, fire control and other similar purposes not connected with food; and	
	In certain food processes, e.g. chilling, and in food handling areas, provided this does not constitute a hazard to the safety and suitability of food (e.g. the use of clean sea water).	
	Water recirculated for reuse should be treated and maintained in such a condition that no risk to the safety and suitability of food results from its use. The treatment process should be effectively monitored. Recirculated water which has received no further treatment and water recovered from processing of food by evaporation or drying may be used, provided its use does not constitute a risk to the safety and suitability of food.	

5.5.2	As an ingredient		
	Potable water should be used wherever necessary to avoid food contamination.		
5.5.3	Ice and steam		
	Ice should be made from water that complies with section 4.4.1.		
	Ice and steam should be produced, handled and stored to protect them from contamination.		
	Steam used in direct contact with food or food contact surfaces should not constitute a threat to the safety and suitability of food.		
5.6	MANAGEMENT AND SUPERVISION		
	The type of control and supervision needed will depend on the size of the business, the nature of its activities and the types of food involved. Managers and supervisors should have enough knowledge of food hygiene principles and practices to be able to judge potential risks, take appropriate preventive and corrective action, and ensure that effective monitoring and supervision takes place.		
5.7	DOCUMENTATION AND RECORDS		
	Where necessary, appropriate records of processing, production and distribution should be kept and retained for a period that exceeds the shelf-life of the product. Documentation can enhance the credibility and effectiveness of the food safety control system.		
5.8	RECALL PROCEDURES		
	Managers should ensure effective procedures are in place to deal with any food safety hazard and to enable the complete, rapid recall of any implicated lot of the finished food from the market.		
	Where a product has been withdrawn because of an immediate health hazard, other products which are produced under similar conditions, and which may present a similar hazard to public health, should be evaluated for safety and may need to be withdrawn. The need for public warnings should be considered.		

	Recalled products should be held under supervision until they are destroyed, used for purposes other than human consumption, determined to be safe for human consumption, or reprocessed in a manner to ensure their safety.		
SECT	ION VI - ESTABLISHMENT: MAINTENA	ANCE AND SANITATION	
6.1	MAINTENANCE AND CLEANING		
6.1.1	General		
	Establishments and equipment should be kept in an appropriate state of repair and condition to:		
	facilitate all sanitation procedures;		
	function as intended, particularly at critical steps (see paragraph 5.1);		
	prevent contamination of food, e.g. from metal shards, flaking plaster, debris and chemicals.		
	Cleaning should remove food residues and dirt which may be a source of contamination. The necessary cleaning methods and materials will depend on the nature of the food business.		
	Disinfection may be necessary after cleaning.		
	Cleaning chemicals should be handled and used carefully and in accordance with manufacturers' instructions and stored, where necessary, separated from food, in clearly identified containers to avoid the risk of contaminating food.		
6.1.2	Cleaning procedures and methods		
	Cleaning can be carried out by the separate or the combined use of physical methods, such as heat, scrubbing, turbulent flow, vacuum cleaning or other methods that avoid the use of water, and chemical methods using detergents, alkalis or acids.		
	Cleaning procedures will involve, where appropriate:-		
	removing gross debris from surfaces;		
	applying a detergent solution to loosen soil and bacterial film and hold them in solution or suspension;		

	rinsing with water which complies with	
	section 4, to remove loosened soil and residues of detergent;	
	dry cleaning or other appropriate methods for removing and collecting residues and debris; and	
	 Where necessary, disinfection with subsequent rinsing unless the manufacturers' instructions indicate on scientific basis that rinsing is not required. 	
6.2	CLEANING PROGRAMMES	
	Cleaning and disinfection programmes should ensure that all parts of the establishment are appropriately clean, and should include the cleaning of cleaning equipment.	
	Cleaning and disinfection programmes should be continually and effectively monitored for their suitability and effectiveness and where necessary, documented.	
	Where written cleaning programmes are used, they should specify:	
	 areas, items of equipment and utensils to be cleaned; 	
	responsibility for particular tasks;	
	method and frequency of cleaning; and	
	monitoring arrangements.	
	Where appropriate, programmes should be drawn up in consultation with relevant specialist expert advisors.	
6.3	PEST CONTROL SYSTEMS	
6.3.1	General	
	Pests pose a major threat to the safety and suitability of food. Pest infestations can occur where there are breeding sites and a supply of food. Good hygiene practices should be employed to avoid creating an environment conducive to pests. Good sanitation, inspection of incoming materials and good monitoring can minimize the likelihood of infestation and thereby limit the need for pesticides.	
6.3.2	Preventing access	
	Buildings should be kept in good repair	

	and condition to prevent pest access and to eliminate potential breeding sites.		
	Holes, drains and other places where pests are likely to gain access should be		
	kept sealed. Wire mesh screens, for example on open windows, doors and		
	ventilators, will reduce the problem of pest entry. Animals should, wherever possible,		
	be excluded from the grounds of factories and food processing plants.		
6.3.3	Harbourage and infestation		
	The availability of food and water encourages pest harbourage and infestation. Potential food sources should be stored in pest-proof containers and/or stacked above the ground and away from walls. Areas both inside and outside food premises should be kept clean. Where appropriate, refuse should be stored in covered, pest-proof containers.		
6.3.4	Monitoring and detection		
	Establishments and surrounding areas should be regularly examined for evidence of infestation.		
6.3.5	Eradication		
	Pest infestations should be dealt with immediately and without adversely affecting food safety or suitability. Treatment with chemical, physical or biological agents should be carried out without posing a threat to the safety or suitability of food.		
6.4	WASTE MANAGEMENT		
	Suitable provision must be made for the removal and storage of waste. Waste must not be allowed to accumulate in food handling, food storage, and other working areas and the adjoining environment except so far as is unavoidable for the proper functioning of the business.		
	Waste stores must be kept appropriately		
	clean.		

	Sanitation systems should be monitored for effectiveness, periodically verified by means such as audit pre-operational inspections or, where appropriate, microbiological sampling of environment and food contact surfaces and regularly reviewed and adapted to reflect changed circumstances.		
	TION-VII- ESTABLISHMENT:- PERSONAL F	IYGIENE	
7.1	HEALTH STATUS		
	People known, or suspected, to be suffering from, or to be a carrier of a disease or illness likely to be transmitted through food, should not be allowed to enter any food handling area if there is a likelihood of their contaminating food. Any person so affected should immediately report illness or symptoms of illness to the management.		
	Medical examination of a food handler should be carried out if clinically or epidemiologically indicated.		
7.2	ILLNESS AND INJURIES		
	Conditions which should be reported to management so that any need for medical examination and/or possible exclusion from food handling can be considered, include:		
	• jaundice;		
	diarrhoea;		
	• vomiting;		
	• fever;		
	sore throat with fever;		
	Visibly infected skin lesions (boils, cuts, etc.);		
	Discharges from the ear, eye or nose.		
7.3	PERSONAL CLEANLINESS		
	Food handlers should maintain a high degree of personal cleanliness and, where appropriate, wear suitable protective clothing, head covering, and footwear. Cuts and wounds, where personnel are permitted to continue working, should be covered by suitable waterproof dressings. Personnel should always wash their hands when personal cleanliness may affect food		

	safety, for example:-			
	at the start of food handling activities			
	immediately after using the toilet; and			
	•after handling raw food or ar contaminated material, where this couresult in contamination of other footitems; they should avoid handling read to-eat food, where appropriate.	ld od		
7.4	PERSONAL BEHAVIOUR			
	People engaged in food handling activities should refrain from behaviour which could result in contamination of food, for example:			
	• smoking;			
	• spitting;			
	chewing or eating;			
	 sneezing or coughing over unprotected food. 			
	Personal effects such as jewellery, watches, pins or other items should not be worn or brought into food handling areas if they pose a threat to the safety and suitability of food.			
7.5	VISITORS			
	Visitors to food manufacturing, processing or handling areas should, where appropriate, wear protective clothing and adhere to the other personal hygiene provisions in this section.			
	ION-VIII- TRANSPORTATION			
8.1	GENERAL	T T	Т	
	Food must be adequately protected during transport. The type of conveyances or containers required depends on the nature of the food and the conditions under which it has to be transported.			
8.2	REQUIREMENTS			
	Where necessary, conveyances and bulk containers should be designed and constructed so that they:			
	do not contaminate foods or packaging;			
	• can be effectively cleaned and,			

	where necessary, disinfected'			
	permit effective separation of different foods or foods from non- food items where necessary during transport;			
	 provide effective protection from contamination, including dust and fumes; 			
	can effectively maintain the temperature, humidity, atmosphere and other conditions necessary to protect food from harmful or undesirable microbial growth and deterioration likely to render it unsuitable for consumption; and			
	allow any necessary temperature, humidity and other conditions to be checked			
8.3	USE AND MAINTENANCE			
	Conveyances and containers for transporting food should be kept in an appropriate state of cleanliness, repair and condition. Where the same conveyance or container is used for transporting different foods, or nonfoods, effective cleaning and, where necessary, disinfection should take place between loads.			
	Where appropriate, particularly in bulk transport, containers and conveyances should be designated and marked for food use only and be used only for that purpose.			
	SECTION-IX- PRODUCT INFORMATIO	N AND CONSUMER AWAREN	ESS	
9.1	LOT IDENTIFICATION			
	Lot identification is essential in product recall and also helps effective stock rotation. Each container of food should be permanently marked to identify the producer and the lot. Codex General Standard for the Labelling of Prepackaged Foods (CODEX STAN 1-1985, Rev. 1(1991)) applies.			
9.2	PRODUCT INFORMATION			

9.3	All food products should be accompanied by or bear adequate information to enable the next person in the food chain to handle, display, store and prepare and use the product safely and correctly. LABELLING		
9.3		T	
	Prepackaged foods should be labelled with clear instructions to enable the next person in the food chain to handle, display, store and use the product safely, Codex General Standard for the Labelling of Prepackaged Foods (CODEX STAN 1-1985, Rev,(1991) applies.		
9.4	CONSUMER EDUCATION		
	Health education programmes should cover general food hygiene. Such programmes should enable consumers to understand the importance of any product information and to follow any instructions accompanying products, and make informed choices. In particulars consumers should be informed of the relationship between time/temperature control and foodborne illness.		
	ON-V- TRAINING		
10.1	AWARENESS AND RESPONSIBILITI		
	Food hygiene training is fundamentally important. All personnel should be aware of their role and responsibility in protecting food from contamination or deterioration.		
	Food handlers should have the necessary knowledge and skills to enable them to handle food hygienically.		
	Those who handle strong cleaning chemicals or other potentially hazardous chemicals should be		

	instructed in safe handling techniques.		
10.2	TRAINING PROGRAMMES		
	Factors to take into account in assessing the level of training required includes:		
	the nature of the food, in particular its ability to sustain growth of pathogenic or spoilage micro- organisms;		
	the manner in which the food is handled and packed, including the probability of contamination;		
	the extent and nature of processing or further preparation before final consumption;		
	the conditions under which the food will be stored; and		
	the expected length of time before consumption.		
10.3	INSTRUCTION AND SUPERVISION		
	Periodic assessments of the effectiveness of training and instruction programmes should be made, as well as routine supervision and checks to ensure that procedures are being carried out effectively.		
	Managers and supervisors of food processes should have the necessary knowledge of food hygiene principles and practices to be able to judge potential risks and take the necessary action to remedy deficiencies.		
10.4	REFRESHER TRAINING		
	Training programmes should be routinely reviewed and updated where necessary. Systems should be in place to ensure that food handlers remain aware of all procedures necessary to maintain the safety and suitability of food.		

Checklist filled by (name):
Designation in the food business organization:
Dated:

Signature:

Annexure-III

Ministry of Food Processing Industries Government of India

AFFIDAVIT

	I	S/W/D/oResident of	director				
Propri	ietor of	f M/sdo hereby solemnly affirms	and state as follows:-				
2.	That I	am the deponent herein and I am fully acquainted with	th the information given				
below:	-						
	(a)	that company has not obtained any financial assistance	ce for implementation of				
		HACCP/ ISO 9001, ISO 22000/GHP/GMP in the past	from MFPI.				
	(b)	that the organisation has not obtained/applied for	or will not obtain any				
		grant/subsidy from any Ministry/Department of Centr	cal Govt./Government of				
		India organisation/agencies and State Gov	vt. for the same				
		purpose/activity/same components.					
3.	That a	ill the papers documents submitted to Ministry of Food	Processing Industries				
are true	e and co	orrect and nothing is concealed.					
			Deponent				
All the	above	information at 1, 2 & 3 are true and correct.					
			Deponent				
Solemnly affirmed and signed before me on this day							
(Notar	y)						

Ministry of Food Processing Industries Govt. of India

SURETY BOND

KNOW ALL MEN BY THESE PRESENT	ΓS that we, M	/s		, a
(Type of organiza				
(Name of the Act)	and having i	ts registered	office at	
<u> </u>	(hereinal	fter called th	ne "Obligers") a	re held
fully and firmly bound to the President of sum of Rs(Rupees	India (hereina	fter called th	e "Government")	for the
well and truly to be paid to the Government we firmly bind ourselves and our	ment on dema	and and witl	nout a demur for	which
SIGNED on the	day o	of		in the
year Two Thousand				
WHEREAS on the Obligers' request, the	Government	as per Mini	stry of Food Pro	cessing
Industries's Sanction Order No		_ Dated		
(hereinafter referred to as the "Letter of				
presents, and a copy whereof is annexed he	ereto and mar	ked as Annex	kure-I, agreed to i	make in
favour of the Obligers grants-in-aids-in-aid	1 of Rs		(Rupees	
only)	for	the	purpose	of
(description	of	the	project)	at
out o	of which the s	um of Rs	(Rup	iees
only) have been				
Obligers do hereby admit and acknowledg	e) on conditio	on of the Obli	gers executing a	bond in
the terms and manner contained hereinafte	r which the O	bligers have	agreed to do.	
NOW the conditions of the above writter and comply with all the conditions ment	_		_	•

and comply with all the conditions mentioned in the letter of sanction, the above written Bond or obligation shall be void and of no effect. But otherwise, it shall remain in full force and virtue. The Obligers will abide by the terms & conditions of the grants-in-aid by the target dates, if any specified therein.

THAT the Obligers shall not divert the grants-in-aids and entrust execution of the Scheme or work concerned to another institution(s) or organization(s).

THAT the Obligers shall abide by any other conditions specified in this agreement and in the event of their failing to comply with the conditions or committing breach of the bond, the Obligers individually and jointly will be liable to refund to the President of India, the entire amount of the grants-in-aid with interest of 10% per annum thereon. If a part of the grants-in-aid is left unspent after the expiry of the period within which it is required to be spent, interest @10% per annum shall be charged up to the date of its refund to the Government, unless it is agreed to be carried over. The Obligers agree and undertake to surrender / pay the

Government the monetary value of all such pecuniary or other benefits which it may receive or derive / have received or derived through / upon unauthorized use of (such as letting out the premises on adequate or less than adequate consideration or use of the premises for any purpose other than that for which the grants-in-aid was intended of the property) buildings created / acquired constructed largely from out of the grants-in-aid sanctioned by the Government of India, Ministry of Food Processing Industries or the administrative Head of the Department concerned. As regards the monetary value aforementioned to be surrendered / paid to the Government, the decision of the Government will be final and binding on the Obligers.

AND THESE PRESENTS ALSO WITNESS THAT the decision of the Secretary to the Government of India in the Ministry of Food Processing Industries on the question whether there has been breach or violation of any of the terms or conditions mentioned in the sanction letter shall be final and binding upon the Obligers and

	ese presents have been executed as under on behalf of the written in pursuance of the Resolution No
	by the governing body of the Obligers, a copy whereof is
	for and on behalf of the president on the
date appearing below:-	•
	Signature of the AUTHORISED SIGNATORY
	Signed for and on behalf of
	(Name of the Obliger in block letters)
	(Seal / Stamp of Organization)
1. Signature of witness	2. Signature of witness
Name & Address	Name & Address
TO BE FILLED UP BY TI	HE MINISTRY OF FOOD PROCESSING INDUSTRIES (ACCEPTED)
For an	nd on behalf of the President of India
Name:	
Designation:	
Dated:	
Notary Seal & Signature	

Annexure-IV A

DETAILS OF PLANT & MACHINERY INSTALLED

Name of the Company:	
Complete address of the Factory/Unit:	

This is certified that the following Plant & Machinery has been purchased and installed as per proposed proposal:

Sr.		Prop	osed			Actual			
No	Name of the Machinery/ equipment/Item	Capacity	No. of Units	Rate/ unit (₹)	Total Cost (₹)	Capacity	No. of Units	Rate/ unit (₹)	Total Cost (₹)
1									
2									
3									

2. It is further certified that Plant & Machinery installed is new and has been purchased after submission of application for financial assistance in the Ministry of Food Processing Industries

(Signature) Name of Authorised Signatory of the firm with stamp

DETAILS OF ACTUAL TECHNICAL CIVIL WORK DONE

Name of th	ne Co	mpany:					
Complete	addre	ess of the Factory/Unit:					
	his is	certified that the follow	ving Technic	cal Civil Worl	ks has beer	n completed a	as per proposed
roposal:							
	Sr.		Proposed			Ac	ctual
	No	Name of item/Work	Area (Sq. Ft)	Rate/ Sq. Ft (₹)	Total Cost (₹)	Area (Sq. Ft)	Rate/ Sq. Ft (₹)
_							
Ĺ							
pplication		s further certified tha nancial assistance in th					submission o
					N		(Signature orised Signatory firm with stamp

C.A. CERTIFICATE FOR ACTUAL PROJECT COST AND MEANS OF FINANCE

Nan	ne of the C	Company/Firm:						
Con	nplete add	dress of the Fa	ctory/Unit:					
900			g expenditure lame of Quality prresponding so	//Food Safe	ety Manage	' '	-	ementation of
(a)	Project (Cost:					(Ar	nount in ₹)
		Head of	Cost	Pr	oposed	Approved	Act	ual cost as on
	Plant & Technic	ant Fee arged by Certifi Machinery cal Civil Works expenditure	cation Agency					
(b)	Total Means o	f Finance					(A	amount in ₹)
` '		ers Capital	Propos	sed	Аррі	roved	•	s on
	Bank Te Grant fr Unsecu	erm Loan om MFPI red Loan						
	Others Total							
(c)	Details o	of Unsecured I	₋oan, if any.					
	S. No.	Name of I	Person	PAN	No.	Amou	nt in ₹	
			Total					

2. Kinds of documents checked:-

- i. Invoices/Billsii. Profit and loss accounts
- iii. Balance Sheet

(Signature)
Name of Consultant with stamp

(Signature) Name & Address of the Chartered Accountant with stamp

UNDERTAKING (ON THE LETTER HEAD OF THE FIRM)

Name of the Company:	
Complete address of the Factory/Unit: _	

We do hereby state that implementation of ISO 22000 and/or HACCP (whichever is applicable) will be continued atleast for a period of 3 years from the date of issue of certificate and guidelines & conditions stipulated in the certificate and FSMS Manual will be followed by the organization, failing which the firm is liable to refund the entire amount of grant-in-aid along with interest @ 10% per annum.

(Signature) Name of Authorised Signatory of the firm with stamp